



Document: Omega Canopy: Major Canopy Dimensions

Description: Omega Canopy, Lean-To style, post-supported

Page 1 of 4

Key Canopy Dimensions for Roof Pitch 5 degrees

Width (m)	Projection (m)	Actual width (mm)	Actual Projection (mm) to outside edge of eaves beam (roof pitch 5 degrees)	Projection wall to inside face of supporting post (mm) Roof Pitch = 5 degrees	Dimension from bottom of wall plate to bottom of eaves beam (mm) Roof pitch = 5 degrees	Vertical dimension from top of Wall plate to bottom of wall plate (mm)	Vertical dimension of face of wall plate immediately adjacent wall (mm)
2.1	1.5	2106	1578	1500	153	146	124
3.1	1.5	3106	1578	1500	153	146	124
4.2	1.5	4206	1578	1500	153	146	124
5.2	1.5	5206	1578	1500	153	146	124
6.3	1.5	6306	1578	1500	153	146	124
7.4	1.5	7406	1578	1500	153	146	124
2.1	2.0	2106	2078	2000	196	146	124
3.1	2.0	3106	2078	2000	196	146	124
4.2	2.0	4206	2078	2000	196	146	124
5.2	2.0	5206	2078	2000	196	146	124
6.3	2.0	6306	2078	2000	196	146	124
7.4	2.0	7406	2078	2000	196	146	124
2.1	2.5	2106	2578	2500	241	146	124
3.1	2.5	3106	2578	2500	241	146	124
4.2	2.5	4206	2578	2500	241	146	124
5.2	2.5	5206	2578	2500	241	146	124
6.3	2.5	6306	2578	2500	241	146	124
7.4	2.5	7406	2578	2500	241	146	124
2.1	3.0	2106	3078	3000	283	146	124
3.1	3.0	3106	3078	3000	283	146	124
4.2	3.0	4206	3078	3000	283	146	124
5.2	3.0	5206	3078	3000	283	146	124
6.3	3.0	6306	3078	3000	283	146	124
7.4	3.0	7406	3078	3000	283	146	124
2.1	3.5	2106	3578	3500	327	146	124
2.8	3.5	2806	3578	3500	327	146	124
3.5	3.5	3506	3578	3500	327	146	124
4.2	3.5	4206	3578	3500	327	146	124
4.9	3.5	4906	3578	3500	327	146	124
5.6	3.5	5606	3578	3500	327	146	124
6.3	3.5	6306	3578	3500	327	146	124
7.0	3.5	7006	3578	3500	327	146	124
7.8	3.5	7806	3578	3500	327	146	124
8.4	3.5	8406	3578	3500	327	146	124
9.2	3.5	9206	3578	3500	327	146	124
2.1	4.0	2106	4078	4000	370	146	124
2.8	4.0	2806	4078	4000	370	146	124
3.5	4.0	3506	4078	4000	370	146	124
4.2	4.0	4206	4078	4000	370	146	124
4.9	4.0	4906	4078	4000	370	146	124
5.6	4.0	5606	4078	4000	370	146	124
6.3	4.0	6306	4078	4000	370	146	124
7.0	4.0	7006	4078	4000	370	146	124
7.8	4.0	7806	4078	4000	370	146	124
8.4	4.0	8406	4078	4000	370	146	124
9.2	4.0	9206	4078	4000	370	146	124



Document: Omega Canopy: Major Canopy Dimensions

Description: Omega Canopy, Lean-To style, post-supported

Page 2 of 4

Key Canopy Dimensions for Roof Pitch 10 degrees							
Width (m)	Projection (m)	Actual width (mm)	Actual Projection (mm) to outside edge of eaves beam (roof pitch 10 degrees)	Projection wall to inside face of supporting post (mm) Roof Pitch = 10 degrees	Dimension from bottom of wall plate to bottom of eaves beam (mm) Roof pitch = 10 degrees	Vertical dimension from top of Wall plate to bottom of wall plate (mm)	Vertical dimension of face of wall plate immediately adjacent wall (mm)
2.1	1.5	2106	1568	1491	277	146	124
3.1	1.5	3106	1568	1491	277	146	124
4.2	1.5	4206	1568	1491	277	146	124
5.2	1.5	5206	1568	1491	277	146	124
6.3	1.5	6306	1568	1491	277	146	124
7.4	1.5	7406	1568	1491	277	146	124
2.1	2.0	2106	2058	1981	364	146	124
3.1	2.0	3106	2058	1981	364	146	124
4.2	2.0	4206	2058	1981	364	146	124
5.2	2.0	5206	2058	1981	364	146	124
6.3	2.0	6306	2058	1981	364	146	124
7.4	2.0	7406	2058	1981	364	146	124
2.1	2.5	2106	2548	2471	461	146	124
3.1	2.5	3106	2548	2471	461	146	124
4.2	2.5	4206	2548	2471	461	146	124
5.2	2.5	5206	2548	2471	461	146	124
6.3	2.5	6306	2548	2471	461	146	124
7.4	2.5	7406	2548	2471	461	146	124
2.1	3.0	2106	3038	2961	545	146	124
3.1	3.0	3106	3038	2961	545	146	124
4.2	3.0	4206	3038	2961	545	146	124
5.2	3.0	5206	3038	2961	545	146	124
6.3	3.0	6306	3038	2961	545	146	124
7.4	3.0	7406	3038	2961	545	146	124
2.1	3.5	2106	3538	3461	624	146	124
2.8	3.5	2806	3538	3461	624	146	124
3.5	3.5	3506	3538	3461	624	146	124
4.2	3.5	4206	3538	3461	624	146	124
4.9	3.5	4906	3538	3461	624	146	124
5.6	3.5	5606	3538	3461	624	146	124
6.3	3.5	6306	3538	3461	624	146	124
7.0	3.5	7006	3538	3461	624	146	124
7.8	3.5	7806	3538	3461	624	146	124
8.4	3.5	8406	3538	3461	624	146	124
9.2	3.5	9206	3538	3461	624	146	124
2.1	4.0	2106	4028	3951	711	146	124
2.8	4.0	2806	4028	3951	711	146	124
3.5	4.0	3506	4028	3951	711	146	124
4.2	4.0	4206	4028	3951	711	146	124
4.9	4.0	4906	4028	3951	711	146	124
5.6	4.0	5606	4028	3951	711	146	124
6.3	4.0	6306	4028	3951	711	146	124
7.0	4.0	7006	4028	3951	711	146	124
7.8	4.0	7806	4028	3951	711	146	124
8.4	4.0	8406	4028	3951	711	146	124
9.2	4.0	9206	4028	3951	711	146	124



Document: Omega Canopy: Major Canopy Dimensions

Description: Omega Canopy, Lean-To style, post-supported

Page 3 of 4

Key Canopy Dimensions for Roof Pitch 15 degrees							
Width (m)	Projection (m)	Actual width (mm)	Actual Projection (mm) to outside edge of eaves beam (roof pitch 15 degrees)	Projection wall to inside face of supporting post (mm) Roof Pitch = 15 degrees	Dimension from bottom of wall plate to bottom of eaves beam (mm) Roof pitch = 15 degrees	Vertical dimension from top of Wall plate to bottom of wall plate (mm)	Vertical dimension of face of wall plate immediately adjacent wall (mm)
2.1	1.5	2106	1538	1460	400	146	124
3.1	1.5	3106	1538	1460	400	146	124
4.2	1.5	4206	1538	1460	400	146	124
5.2	1.5	5206	1538	1460	400	146	124
6.3	1.5	6306	1538	1460	400	146	124
7.4	1.5	7406	1538	1460	400	146	124
2.1	2.0	2106	2018	1940	529	146	124
3.1	2.0	3106	2018	1940	529	146	124
4.2	2.0	4206	2018	1940	529	146	124
5.2	2.0	5206	2018	1940	529	146	124
6.3	2.0	6306	2018	1940	529	146	124
7.4	2.0	7406	2018	1940	529	146	124
2.1	2.5	2106	2498	2420	659	146	124
3.1	2.5	3106	2498	2420	659	146	124
4.2	2.5	4206	2498	2420	659	146	124
5.2	2.5	5206	2498	2420	659	146	124
6.3	2.5	6306	2498	2420	659	146	124
7.4	2.5	7406	2498	2420	659	146	124
2.1	3.0	2106	2988	2910	788	146	124
3.1	3.0	3106	2988	2910	788	146	124
4.2	3.0	4206	2988	2910	788	146	124
5.2	3.0	5206	2988	2910	788	146	124
6.3	3.0	6306	2988	2910	788	146	124
7.4	3.0	7406	2988	2910	788	146	124
2.1	3.5	2106	3468	3390	917	146	124
2.8	3.5	2806	3468	3390	917	146	124
3.5	3.5	3506	3468	3390	917	146	124
4.2	3.5	4206	3468	3390	917	146	124
4.9	3.5	4906	3468	3390	917	146	124
5.6	3.5	5606	3468	3390	917	146	124
6.3	3.5	6306	3468	3390	917	146	124
7.0	3.5	7006	3468	3390	917	146	124
7.8	3.5	7806	3468	3390	917	146	124
8.4	3.5	8406	3468	3390	917	146	124
9.2	3.5	9206	3468	3390	917	146	124
2.1	4.0	2106	3948	3870	1047	146	124
2.8	4.0	2806	3948	3870	1047	146	124
3.5	4.0	3506	3948	3870	1047	146	124
4.2	4.0	4206	3948	3870	1047	146	124
4.9	4.0	4906	3948	3870	1047	146	124
5.6	4.0	5606	3948	3870	1047	146	124
6.3	4.0	6306	3948	3870	1047	146	124
7.0	4.0	7006	3948	3870	1047	146	124
7.8	4.0	7806	3948	3870	1047	146	124
8.4	4.0	8406	3948	3870	1047	146	124
9.2	4.0	9206	3948	3870	1047	146	124



Document: Omega Canopy: Major Canopy Dimensions

Description: Omega Canopy, Lean-To style, post-supported

Page 4 of 4

Key Canopy Dimensions for Roof Pitch 20 degrees							
Width (m)	Projection (m)	Actual width (mm)	Actual Projection (mm) to outside edge of eaves beam (roof pitch 10 degrees)	Projection wall to inside face of supporting post (mm) Roof Pitch = 10 degrees	Dimension from bottom of wall plate to bottom of eaves beam (mm) Roof pitch = 10 degrees	Vertical dimension from top of Wall plate to bottom of wall plate (mm)	Vertical dimension of face of wall plate immediately adjacent wall (mm)
2.1	1.5	2106	1498	1420	520	146	124
3.1	1.5	3106	1498	1420	520	146	124
4.2	1.5	4206	1498	1420	520	146	124
5.2	1.5	5206	1498	1420	520	146	124
6.3	1.5	6306	1498	1420	520	146	124
7.4	1.5	7406	1498	1420	520	146	124
2.1	2.0	2106	1968	1890	691	146	124
3.1	2.0	3106	1968	1890	691	146	124
4.2	2.0	4206	1968	1890	691	146	124
5.2	2.0	5206	1968	1890	691	146	124
6.3	2.0	6306	1968	1890	691	146	124
7.4	2.0	7406	1968	1890	691	146	124
2.1	2.5	2106	2438	2360	862	146	124
3.1	2.5	3106	2438	2360	862	146	124
4.2	2.5	4206	2438	2360	862	146	124
5.2	2.5	5206	2438	2360	862	146	124
6.3	2.5	6306	2438	2360	862	146	124
7.4	2.5	7406	2438	2360	862	146	124
2.1	3.0	2106	2908	2830	1037	146	124
3.1	3.0	3106	2908	2830	1037	146	124
4.2	3.0	4206	2908	2830	1037	146	124
5.2	3.0	5206	2908	2830	1037	146	124
6.3	3.0	6306	2908	2830	1037	146	124
7.4	3.0	7406	2908	2830	1037	146	124
2.1	3.5	2106	3378	3300	1207	146	124
2.8	3.5	2806	3378	3300	1207	146	124
3.5	3.5	3506	3378	3300	1207	146	124
4.2	3.5	4206	3378	3300	1207	146	124
4.9	3.5	4906	3378	3300	1207	146	124
5.6	3.5	5606	3378	3300	1207	146	124
6.3	3.5	6306	3378	3300	1207	146	124
7.0	3.5	7006	3378	3300	1207	146	124
7.8	3.5	7806	3378	3300	1207	146	124
8.4	3.5	8406	3378	3300	1207	146	124
9.2	3.5	9206	3378	3300	1207	146	124
2.1	4.0	2106	3848	3770	1377	146	124
2.8	4.0	2806	3848	3770	1377	146	124
3.5	4.0	3506	3848	3770	1377	146	124
4.2	4.0	4206	3848	3770	1377	146	124
4.9	4.0	4906	3848	3770	1377	146	124
5.6	4.0	5606	3848	3770	1377	146	124
6.3	4.0	6306	3848	3770	1377	146	124
7.0	4.0	7006	3848	3770	1377	146	124
7.8	4.0	7806	3848	3770	1377	146	124
8.4	4.0	8406	3848	3770	1377	146	124
9.2	4.0	9206	3848	3770	1377	146	124